

RDS HiSec


Applications:

-  Industrial
-  Transport & Infrastructure
-  Utilities
-  Construction
-  High Security

Drawings:

Download our drawings direct from our website:

www.zaun.co.uk/about-us/downloads/drawings/



Features & Benefits:

- Suitable for hard or soft ground standings
- PAS 68 enhancements available
- Can be fully integrated with PIDs, CCTV and topping enhancements
- No ground pinning or foundations required
- Available for rental or purchase

Description:

Zaun's rapid deploy fencing system RDS is an above ground fencing system that required no pinning or digging into the ground. Designed for heights of up to 3 metres, Zaun's rapid deploy fencing system leads the market for temporary high security fencing solutions. RDS is a unique solution designed to use a single fence line to protect against crowd loads or to protect areas from unauthorised visitors.

RDS is designed specifically to be a rapid deploy fencing solution which can be deployed and redeployed to protect an area quickly and efficiently with the minimum fuss and disruption.

Tested by independent bodies, for crowd attack, this rapid deploy fencing system offers significant protection and therefore can vastly reduce policing and security costs when compared to the use of traditional temporary fencing solutions.

Full vehicle and pedestrian access solutions, including portals can be incorporated, all with above ground foundations. These solutions have also been tested and achieve the same PAS 68 rating as the fence line. (see RDS PAS 68 for details)

CCTV, PIDs and topping enhancements can also be incorporated to provide a full turnkey solution, ideal for sports and event overlay. RDS can also be used as a permanent fence line where below ground foundations are not possible. RDS is available to rent or purchase.

Details:

A minimum height of 1.8 metre to a maximum height of 3.0 metres – HiSec

Mesh:

HiSec mesh comprising 12.7mm x 76.2mm mesh with 4mm horizontal wires at 12.7mm centres with single 4mm vertical wires at 76.2mm centres

Posts:

Various RHS posts sizes dependent on height (see chart below for details), spaced at 2750mm centres

Post to panel fixing:

Panels fixed to posts with full height 40mm x 5mm clamp bar with through bolt fixings at 400mm centres.

Gates:

Pedestrian gates are single leaf 1.2m wide, (or width to suit), framed in a 100mm x 50mm RHS with Zaun HiSec mesh clad to the frame, with slide latch. Gate supplied with rubber bump stop and 2 x suitable gate posts.

Vehicle access gates are double leaf (single leaf vehicle gates available) 3.0m wide (or width to suit), framed in 100mm x 50mm RHS, with Zaun HiSec clad to the frame, with drop bolts and slide latch. Gate supplied with rubber bump stop and 2 x suitable gate posts.

Finish:

Materials are galvanised and Polyester Powder coated.

Block Detail

A concrete block at 900mm long, 800mm high and 450mm deep, weighing at 750kg

Optional

Available with or without PAS68 Enhancements

Drawings:

www.zaun.co.uk/about-us/downloads/drawings/

Specifications:

Height	Post Centres	Vertical Wires	Horizontal Wires	Mesh Pattern	Post Section
1.8mtr to 5.2 mtr	2.75 mtr	4mm	4mm	12.7mm x 76.2mm	70mm x 70mm

Technical Support

Should you require any help or assistance in your requirement

please contact

sales@zaun.co.uk or

call +44 (0)1902 796 699

Turnkey Solutions

Zaun can provide you with solutions to suit all of your sport and perimeter protection requirements, whether you need to protect a school playground or a military base, Zaun has the solutions for you. From perimeter and sports fencing to CCTV and access control, Zaun can provide solutions to your specific requirements.

For more information on any of our products or services please visit our website at:

www.zaun.co.uk